


DATA SHEET

Ticky Pack Machine, Model LE 200

Technical Specification:

| | |
|--|---|
| ➤ Start – stop | Soft start and soft stop in 0 positions |
| ➤ Size of pack (L x W x H) | (80-200 x 10-75 x 40-80mm) |
| ➤ Machine Size (L x W x H) | (3990mm x 1650mm x 1800mm) |
| ➤ Machine Weight | 850 kg |
| ➤ Reel (Max outer dia / core dia) | 300 / 70 mm |
| ➤ Reel (Conveyor) Length | Standard, 114” |
| ➤ Machine Capacity | up to 200 packs / minutes |
| ➤ Electric Motor | (1) 1 hp. (2) 0.5 hp |
| ➤ Machine Load | 10amp (2kw) |
| ➤ Standard Equipment | Photo Electric Eye & Invertor |
| ➤ Packing Material | Food, Soaps etc... |
| ➤ Voltage and frequency | 220vac, single phase, 50 Hz |
| ➤ Usage / Application | Muffin cake, Biscuits, Chocolates, Chocolates coding Biscuits, Wafer Biscuits, Single piece of soap |
| ➤ Weight of Packing Material | 2gm to 500gm |
| ➤ Piles | 1/2/3/4 |
| ➤ Sealing Type | 2 Side and Centre Sealing |
| ➤ Heaters size | 4” to 6” |
| ➤ Condition | Brand New |



lahoreengineering.pk

DATA SHEET

Control panel:

Our **Ticky Packing Machine with Manual Control System** is designed for reliable and efficient packaging of a wide range of products such as biscuits, soaps, chocolates, chocolate coding biscuits, cupcakes, and wafer biscuits. This machine operates through a **manual control system**, allowing the operator to easily adjust speed, temperature, and film length as per product requirements.

Description:

We offer machines in various specifications and can be customized as per the particular requirements of clients.

1. Machine can finish the function of net metering, selling, cutting, counting, measuring and filling.
2. We are designed to increase the efficiency and decreasing the chances of any contamination with the product.
3. Human-machine operation, convenient and quick parameter setting.
4. Simple driving system, reliable working, convenient maintenance.
5. Simple machine structure with flexible wheels, easy to maintain or change location.
6. Suitable for a wide variety of flexible packing material, packing size and products.
7. Sound level of machine is < 70db

| S No | Features | Optional Features |
|------|-------------------------------|----------------------------|
| 1 | Strong Design | Control panel PLC based |
| 2 | Optimum Performance | Expiry Date Printer |
| 3 | High Durability | Magazine for Stretch |
| 4 | Carbon Steel | Nitrogen Filling System |
| 5 | Power full conveyer | Stainless steel |
| 6 | Operator can set filling time | Food grade stainless steel |

Awan Market Ferozpur Road Lahore
Contact: +92 3080012596, 3064488005
info@lahoreengineering.pk
www.lahoreengineering.pk


DATA SHEET

Packing Samples



DATA SHEET

FLOW CHART



DATA SHEET


Machine picture



1. Control Panel:



3. Slip Ring:



2. Output Conveyor:



4. Input Conveyor:

